

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	70	((compar\$3 or check\$3 or determin\$5) same (execution\$1 or access\$3 or quer\$3) near plan\$1) and ((creat\$3 or build\$3 or generat\$3) same plan\$1) and trigger\$1 same quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:02
L4	8951	(707/2,3,102,104.1).CCLS.	USPAT; USOCR	OR	OFF	2006/08/29 14:30
L5	18	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 14:30
L6	146	(trigger\$3 same(creat\$3 or build\$3 or generat\$3) same plan\$1) and (execution\$1 or access\$3 or quer\$3) near plan\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:04
L7	39	6 and (compar\$3 or ((check\$3 or determin\$5) near2 (identical or duplicat\$3 or redundan\$2))) same plan\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:06
L8	5	4 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:06

EAST Search History

S47	11	indicator same ("acess plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 14:38
S48	123	(creat\$3 or generat\$3) same new same ("acess plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 14:40
S49	54	(creat\$3 or generat\$3) same new with ("acess plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 14:40
S50	13	S49 and compare\$3 with (stored saved generated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 14:41
S51	104	compar\$3 with ("execution plans" or "access plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:30
S52	67	S51 and (creat\$3 or generat\$3) with ("execution plan" or "acess plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:22
S53	0	S52 and (identical with ("execution plan" or "access plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:23
S54	0	S52 and (identical same ("execution plan" or "access plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:23

EAST Search History

S55	3	S52 and (duplicat\$3 same ("execution plan" or "access plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:24
S56	28	compar\$3 adj2 ("execution plans" or "access plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:26
S57	7053	(707/2,3,102).CCLS.	USPAT; USOCR	OR	OFF	2006/08/29 12:26
S58	10	S57 and compar\$3 adj2 ("execution plans" or "access plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:30
S59	1	S57 and ((replace or substitute) same (stored saved generated) with ("access plan" "execution plan" "query plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:28
S60	2	S57 and ((replace or substitute) same (stored saved generated) same ("access plan" "execution plan" "query plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:28
S61	53	S57 and ("access plan" "execution plan" "query plan") with (saved stored rebuild re\$use re\$execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:31
S62	4	S61 and compar\$3 adj2 ("execution plans" or "access plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:31
S63	257	("access plan" "execution plan" "query plan") with (saved stored rebuild re\$use re\$execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:31

EAST Search History

S64	11	S63 and compar\$3 adj2 ("execution plans" or "access plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:31
-----	----	---	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2159	quer\$3 near5 optimiz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 19:56
S2	352	S1 and (access with plan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 19:56
S3	43	S2 and trigger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 19:56
S4	8	S3 and (quer\$3 same (re\$use or rebuild))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 20:09
S5	35	S3 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:15
S6	238	("access plan" "execution plan" "query plan") with (saved stored rebuild re\$use re\$execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:29
S7	39	S6 and (compar\$3 with ("access plan" "execution plan" "query plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:18
S8	29	S7 and (trigger command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:40

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	70	((compar\$3 or check\$3 or determin\$5) same (execution\$1 or access\$3 or quer\$3) near plan\$1) and ((creat\$3 or build\$3 or generat\$3) same plan\$1) and trigger\$1 same quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 14:29
L4	8951	(707/2,3,102,104.1).CCLS.	USPAT; USOCR	OR	OFF	2006/08/29 14:30
L5	18	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 14:30
S1	2159	quer\$3 near5 optimiz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 19:56
S2	352	S1 and (access with plan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 19:56
S3	43	S2 and trigger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 19:56
S4	8	S3 and (quer\$3 same (re\$use or rebuild))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 20:09
S5	35	S3 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:15

EAST Search History

S6	238	("access plan" "execution plan" "query plan") with (saved stored rebuild re\$use re\$execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:29
S7	39	S6 and (compar\$3 with ("access plan" "execution plan" "query plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:18
S8	29	S7 and (trigger command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:40
S9	1	("6598038").PN.	USPAT; USOCR	OR	OFF	2006/05/08 11:40
S10	238	("access plan" "execution plan" "query plan") with (saved stored rebuild re\$use re\$execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:18
S11	39	S10 and (compar\$3 with ("access plan" "execution plan" "query plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:01
S12	29	S11 and (trigger command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:01
S13	10	S11 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:05
S14	1	("6266658").PN.	USPAT; USOCR	OR	OFF	2006/05/08 15:05

EAST Search History

S15	186	("access plan" "execution plan" "query plan") with (cache memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:17
S16	16	S15 and (rebuild re\$use re\$execut\$3) with ("access plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:32
S17	14	S16 and (saved stored) with ("access plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 16:32
S18	186	("access plan" "execution plan" "query plan") with (cache memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:17
S19	28	S18 and ("access plan" "execution plan" "query plan") with updat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:17
S20	22	S19 and ("access plan" "execution plan" "query plan") with (saved stored rebuild re\$use re\$execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 19:19
S21	238	("access plan" "execution plan" "query plan") with (saved stored rebuild re\$use re\$execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:16
S22	3	S21 and (identical duplicate) with (saved or stored) near4 ("access plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 16:53

EAST Search History

S23	6	S21 and (identical duplicate) with (saved or stored or generated) near4 ("access plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:11
S24	7	(identical duplicate) with (saved or stored or generated) near4 ("access plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:12
S25	26	(identical duplicate) near4 ("access plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:12
S26	21	S25 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:14
S27	10	S21 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:14
S28	16	S25 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:47
S29	2	S21 and ((replace or substitute) same (stored saved generated) with ("access plan" "execution plan" "query plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:26
S30	11332	(stored saved) near2 index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:14

EAST Search History

S31	5107	S30 and (generat\$3 or creat\$3 or build) with index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:15
S32	1442	S31 and compar\$3 with index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:15
S33	1027	S32 and compar\$3 same (stored saved)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:16
S34	305	S33 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:16
S35	5	S34 and ("access plan" "execution plan" "query plan") with (saved stored rebuild re\$use re\$execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:30
S36	11332	(stored saved) near2 index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 12:33
S37	5107	S36 and (generat\$3 or creat\$3 or build) with index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 12:33
S38	1442	S37 and compar\$3 with index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 12:33

EAST Search History

S39	1027	S38 and compar\$3 same (stored saved)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 12:33
S40	305	S39 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 12:33
S41	34	S40 and (replace or substitute) same ((stored saved generated) with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 13:24
S42	31	S41 and identical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 13:46
S43	27	identical with ("access plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 13:46
S44	21	S43 and ((sav\$3 or stor\$3) with ("access plan" "execution plan" "query plan"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 14:31
S45	0	indicator with off same ("acess plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 14:32
S46	0	indicator same off same ("acess plan" "execution plan" "query plan")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 14:32


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+trigger +"access plan" "execution plan" "query plan" +compa

SEARCH


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [trigger](#) [access plan](#) [execution plan](#) [query plan](#) [compare](#) [comparing](#) [comparation](#) [determining](#) [determine](#) [create](#) [generate](#) [build](#) [identical](#)

Found 7 of 184,245

Sort results by

relevance

Display results

expanded form

[Save results to a Binder](#)
[Search Tips](#)
[Open results in a new window](#)

 Try an [Advanced Search](#)

 Try this search in [The ACM Guide](#)

Results 1 - 7 of 7

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [ObjectGlobe: Ubiquitous query processing on the Internet](#)

 R. Braumandl, M. Keidl, A. Kemper, D. Kossmann, A. Kreutz, S. Seltzsam, K. Stocker
 August 2001 **The VLDB Journal — The International Journal on Very Large Data**
Bases, Volume 10 Issue 1

Publisher: Springer-Verlag New York, Inc.

 Full text available: pdf(251.44 KB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

We present the design of ObjectGlobe, a distributed and open query processor for Internet data sources. Today, data is published on the Internet via Web servers which have, if at all, very localized query processing capabilities. The goal of the ObjectGlobe project is to establish an open marketplace in which *data* and *query processing capabilities* can be distributed and used by any kind of Internet application. Furthermore, ObjectGlobe integrates *cycle providers* (i.e., machi ...

Keywords: Cycle-, function- and data provider, Distributed query processing, Open systems, Privacy, Quality of service, Query optimization, Security

2 [Informed prefetching and caching](#)



R. H. Patterson, G. A. Gibson, E. Ginting, D. Stodolsky, J. Zelenka

 December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles SOSP '95**, Volume 29

Issue 5

Publisher: ACM Press

 Full text available: pdf(2.13 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

3 [The design and implementation of hierarchical software systems with reusable components](#)



Don Batory, Sean O'Malley

 October 1992 **ACM Transactions on Software Engineering and Methodology (TOSEM)**, Volume 1 Issue 4

Publisher: ACM Press

 Full text available: pdf(3.15 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a domain-independent model of hierarchical software system design and

construction that is based on interchangeable software components and large-scale reuse. The model unifies the conceptualizations of two independent projects, Genesis and Avoca, that are successful examples of software component/building-block technologies and domain modeling. Building-block technologies exploit large-scale reuse, rely on open architecture software, and elevate the granularity of programming to ...

Keywords: domain modeling, open system architectures, reuse, software building-blocks, software design

4 The model, language, and implementation of an object-oriented multimedia knowledge base management system



Hiroshi Ishikawa, Fumio Suzuki, Fumihiko Kozakura, Akifumi Makinouchi, Mika Miyagishima, Yoshio Izumida, Masaaki Aoshima, Yasuo Yamane

March 1993 **ACM Transactions on Database Systems (TODS)**, Volume 18 Issue 1

Publisher: ACM Press

Full text available: pdf(3.23 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

New applications such as CAD, AI, and hypermedia require direct representation and flexible use of complex objects, behavioral knowledge, and multimedia data. To this end, we have devised a knowledge base management system called Jasmine. An object-oriented approach in a programming language also seems promising for use in Jasmine. Jasmine extends the current object-oriented approach and provides the following features. Our object model is based on functional data models and well-established ...

5 Query Optimization in Database Systems



Matthias Jarke, Jurgen Koch

June 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 2

Publisher: ACM Press

Full text available: pdf(2.84 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 Statistical profile estimation in database systems



Michael V. Mannino, Paicheng Chu, Thomas Sager

September 1988 **ACM Computing Surveys (CSUR)**, Volume 20 Issue 3

Publisher: ACM Press

Full text available: pdf(2.94 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A statistical profile summarizes the instances of a database. It describes aspects such as the number of tuples, the number of values, the distribution of values, the correlation between value sets, and the distribution of tuples among secondary storage units. Estimation of database profiles is critical in the problems of query optimization, physical database design, and database performance prediction. This paper describes a model of a database of profile, relates this model to estimating ...

7 System R: relational approach to database management



M. M. Astrahan, M. W. Blasgen, D. D. Chamberlin, K. P. Eswaran, J. N. Gray, P. P. Griffiths, W. F. King, R. A. Lorie, P. R. McJones, J. W. Mehl, G. R. Putzolu, I. L. Traiger, B. W. Wade, V. Watson

June 1976 **ACM Transactions on Database Systems (TODS)**, Volume 1 Issue 2

Publisher: ACM Press

Full text available: pdf(3.18 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

System R is a database management system which provides a high level relational data interface. The systems provides a high level of data independence by isolating the end user as much as possible from underlying storage structures. The system permits definition of a variety of relational views on common underlying data. Data control features are provided, including authorization, integrity assertions, triggered transactions, a logging and recovery subsystem, and facilities for maintaining ...

Keywords: authorization, data structures, database, index structures, locking, nonprocedural language, recovery, relational model

Results 1 - 7 of 7

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((('access plan' <or> 'execution plan' <or> 'query plan') and trigger and (compare..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((('access plan' <or> 'execution plan' <or> 'query plan') and trigger and (compare <or>

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE –


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((('access plan' <or> 'execution plan' <or> 'query plan') and ((compare <or>..."

Your search matched 1 of 1397873 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((('access plan' <or> 'execution plan' <or> 'query plan') and ((compare <or> determine

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. Optimizing multi-joint queries in parallel relational databases
 Srivastava, J.; Elssesser, G.;
Parallel and Distributed Information Systems, 1993.. Proceedings of the Second Conference on
 20-22 Jan. 1993 Page(s):84 - 92
 Digital Object Identifier 10.1109/PDIS.1993.253067
[AbstractPlus](#) | Full Text: [PDF](#)(792 KB) IEEE CNF
[Rights and Permissions](#)

Indexed by

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((('access plan' <or> 'execution plan' <or> 'query plan') <and> ((compare &l..."

[e-mail](#)

Your search matched 1 of 1397873 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((('access plan' <or> 'execution plan' <or> 'query plan') <and> ((compare <or> determ

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. Optimizing multi-joint queries in parallel relational databases
 Srivastava, J.; Elssesser, G.;
Parallel and Distributed Information Systems, 1993., Proceedings of the Second Conference on
 20-22 Jan. 1993 Page(s):84 - 92
 Digital Object Identifier 10.1109/PDIS.1993.253067
[AbstractPlus](#) | Full Text: [PDF](#)(792 KB) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec

[Sign in](#)



[Web](#) [Images](#) [Video](#) [New!](#) [News](#) [Maps](#) [more »](#)

"trigger" with (saved OR stored OR created OR

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 1 - 1 of about 3 for "**trigger**" with (saved OR stored OR created OR generated OR built) WITH

Tip: Try removing quotes from your search to get more results.

Listing

I have heard that here (in form **trigger**) i should use package, **stored** in DB and ... Also, it points out why just looking at the cost of a **query plan** in an ...

[asktom.oracle.com/pls/ask/f?](http://asktom.oracle.com/pls/ask/f?p=4950:12:6894097352079116905::NO::F4950_P12_DATE_YYYYMMDD:20050625)

[p=4950:12:6894097352079116905::NO::F4950_P12_DATE_YYYYMMDD:20050625](http://asktom.oracle.com/pls/ask/f?p=4950:12:6894097352079116905::NO::F4950_P12_DATE_YYYYMMDD:20050625) -

[Cached](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 1 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Speed up the web. [Download the Google Web Accelerator.](#)

"trigger" with (saved OR stored OR

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Return to the USPTO NPL Page](#) | [Help](#)

Interface language:

English

Databases selected: Multiple databases...

Results

2 documents found for: (((*quer** or *execution* or *access*) w/2 plan) and (*compar** or *determin**) w/2 plan and *quer**) AND PDN(<12/4/2003) » [Refine Search](#) | [Set Up Alert](#)

All sources Scholarly Journals Dissertations

☐ Mark all 0 marked items: Email / Cite / Export

Show only full text

Sort results by: Most rec

-
- ☐ 1. **Extensible Parallel Query Processing for Exploratory Geoscientific Data Mining**
Eddie C. Shek, Richard R. Muntz, Edmond Mesrobian. *Data Mining and Knowledge Discovery*. Boston: O
5, Iss. 4; p. 277
 Full Text - PDF Abstract
-
- ☐ 2. **DISTRIBUTED QUERY PROCESSING WITH LOAD BALANCING IN LOCAL AREA NETWORKS**
by LU, HONGJUN, Ph.D., The University of Wisconsin - Madison, 1985, 240 pages; AAT 8601549
 Abstract Order a c
-

1-2 of 2

Want to be notified of new results for this search? [Set Up Alert](#)

Results per

Basic Search

 Tools: [Search Tips](#) [Browse Topics](#) [3 Recent Searches](#)((*quer** or *execution* or *access*) w/2 plan) and (*compar** or *determin**) w/2 plDatabase: Multiple databases... [Select multiple databases](#)Date range: Before this date... 12/04/2003 [About](#)Limit results to: ☐ Full text documents only ☐ Scholarly journals, including peer-reviewed [About](#) [More Search Options](#)Copyright © 2006 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)[Text-only interface](#)

[Return to the USPTO NPL Page](#) | [Help](#)

Interface language:

English

Databases selected: Multiple databases...

No documents found for: ((quer* or execution or access) w/2 plan) and (compar* or determin*) w/2 plan and trigger

Refine your search below using the following tips:

- Check your spelling.
- Reduce the number of terms included in your search.
- Broaden your search by selecting other [databases](#), removing limits, or searching "Citations and document text" (if available).
- Use "AND" to connect two words that don't need to be searched as a phrase.
- Connect similar terms with the "OR" operator (e.g. military OR pentagon). See [Search Tips](#) for more hints.

Basic Search

[Tools:](#) [Search Tips](#) [Browse Topics](#) [2 Recent Searches](#)Database: [Select multiple databases](#)Date range: Limit results to: ☐ Full text documents only ☐ Scholarly journals, including peer-reviewed [About](#)[More Search Options](#)Copyright © 2006 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)[Text-only interface](#)



Research
Databases

Basic
Search

Advanced
Search

Visual
Search

Choose
Databases

[New Search](#) | [Folder](#) | [Preference](#)

US PATENT AND TRADEMARK O

[Sign In to My EBSCOhost](#)

[Keyword](#) | [Subjects](#) | [Publications](#)

Results for: "query plan" **OR** "execution plan" **AND** "access plan"
[link to search](#)

[Add search to folder](#) [Display](#)

Find:	<input type="text" value="query plan"/>	in	<input type="text" value="Select a Field (optional)"/>	<input type="button" value="Search"/>
or	<input type="text" value="execution plan"/>	in	<input type="text" value="Select a Field (optional)"/>	
and	<input type="text" value="access plan"/>	in	<input type="text" value="Select a Field (optional)"/>	
	in <input type="text" value="Computer Source"/> <input type="button" value="Help"/>			

[Refine Search](#)

[Search History/Alerts](#)

[Results](#)

To store items added to the folder for a future session, [Sign In to My EBSCOhost.](#)

1-3 of 3 Page: 1		Sort by: <input type="text" value="Date"/>	Add (1-3)
Narrow Results by Subject XML (Document markup language) DATABASES MICROPROCESSORS DB2 Universal Database (Computer software) PUREEDGE Solutions Inc. SQL (Computer program language) IBM software QUERY (Information retrieval system) DATABASE management FILTERING software	1.	IBM flexes XML muscle . By: Fonseca, Brian. eWeek, 1/3/2005, Vol. 22 Issue 1, p9-10, 2p; (AN 15564953) PDF Full Text (165K)	Add
	2.	Selection Conditions in Main Memory . By: Ross, Kenneth A.. ACM Transactions on Database Systems, Mar2004, Vol. 29 Issue 1, p132-161, 30p; (AN 12714361) PDF Full Text	Add
	3.	Mutant query plans . By: Papadimos, Vassilis; Maier, David. Information & Software Technology, 3/31/2002, Vol. 44 Issue 4, p397, 8p, 1 chart, 11 diagrams, 4 graphs; (AN 6920764)	Add
1-3 of 3 Page: 1		Add (1-3)	

[Top of Page](#)

[EBSCO Support Site](#)

[Privacy Policy](#) | [Terms of Use](#) | [Copyright](#)